

第64回東京消防庁統計書（平成23年） 訂正履歴

※ 網掛け部分が訂正した部分を示します。

（データ訂正日：平成26年11月25日）

該当頁等		訂正部分																	
第43表	正	計			水防工法			救助・誘導			排水			警戒			その他		
		水防 件数	出場 人員	延べ時間 (時間：分)	水防 件数	出場 人員	延べ時間 (時間：分)	水防 件数	出場 人員	延べ時間 (時間：分)	水防 件数	出場 人員	延べ時間 (時間：分)	水防 件数	出場 人員	延べ時間 (時間：分)	水防 件数	出場 人員	延べ時間 (時間：分)
		平成19年	209	2,774	193:09	11	143	16:35	12	582	12:50	21	186	25:55	13	241	20:09	152	1,622
平成20年	98	782	83:52	30	134	15:18	7	194	10:44	33	193	31:13	6	42	3:44	22	219	22:53	
平成21年	156	1,248	143:43	11	76	10:13	1	26	1:14	20	144	21:16	13	129	18:22	111	873	92:38	
平成22年	87	1,189	112:32	7	78	8:54	6	393	22:08	54	425	57:13	4	62	5:46	16	231	18:31	
平成23年	642	3,895	564:05	16	136	10:55	5	158	4:06	39	246	39:12	45	342	57:08	537	3,013	452:44	
平丸の内町	2	30	0:10	1	15	0:05	-	-	-	1	15	0:05	-	-	-	-	-	-	
麹町	3	16	3:00	-	-	-	-	-	-	-	-	-	1	7	1:21	2	9	1:39	
神田	8	42	7:58	-	-	-	-	-	-	-	-	-	4	21	3:59	4	21	3:59	
京橋	8	52	4:34	-	-	-	-	-	-	-	-	-	-	-	-	8	52	4:34	
日本橋	4	51	2:49	-	-	-	-	-	-	-	-	-	-	-	-	4	51	2:49	

第43表	誤	計			水防工法			救助・誘導			排水			警戒			その他		
		水防 件数	出場 人員	延べ時間 (時間：分)	水防 件数	出場 人員	延べ時間 (時間：分)	水防 件数	出場 人員	延べ時間 (時間：分)	水防 件数	出場 人員	延べ時間 (時間：分)	水防 件数	出場 人員	延べ時間 (時間：分)	水防 件数	出場 人員	延べ時間 (時間：分)
		平成19年	208	2,774	193:09	11	143	16:35	12	582	12:50	21	186	25:47	13	241	19:69	151	1,622
平成20年	98	782	83:52	30	134	15:18	7	194	10:44	33	193	31:13	6	42	3:44	22	219	22:53	
平成21年	156	1,248	23:43	11	76	10:13	1	26	1:14	20	144	21:16	13	129	18:22	111	873	20:38	
平成22年	87	1,189	16:32	7	78	8:54	6	393	22:08	54	425	9:13	4	62	5:46	16	231	18:31	
平成23年	642	3,895	564:05	16	136	10:55	5	158	4:06	39	246	39:12	45	342	57:08	537	3,013	452:44	
平丸の内町	2	30	0:10	1	15	0:05	-	-	-	1	15	0:05	-	-	-	-	-	-	
麹町	3	16	3:00	-	-	-	-	-	-	-	-	-	1	7	1:21	2	9	1:39	
神田	8	42	7:58	-	-	-	-	-	-	-	-	-	4	21	3:59	4	21	3:59	
京橋	8	52	4:34	-	-	-	-	-	-	-	-	-	-	-	-	8	52	4:34	
日本橋	4	51	2:49	-	-	-	-	-	-	-	-	-	-	-	-	4	51	2:49	

該当頁等	訂正部分																																																																																																																																																																																																																	
第46表	正	<table border="1"> <thead> <tr> <th>区 分</th> <th>ポンプ車</th> <th>化学車</th> <th>特殊災害対策車</th> <th>はしご車</th> <th>空中作業車</th> <th>屈折放水塔車</th> <th>救急車</th> <th>救助車</th> <th>ホース延長車</th> </tr> </thead> </table>	区 分	ポンプ車	化学車	特殊災害対策車	はしご車	空中作業車	屈折放水塔車	救急車	救助車	ホース延長車																																																																																																																																																																																																						
		区 分	ポンプ車	化学車	特殊災害対策車	はしご車	空中作業車	屈折放水塔車	救急車	救助車	ホース延長車																																																																																																																																																																																																							
<table border="1"> <tbody> <tr><td>ポンプ運用</td><td>5644:27</td><td>501:59</td><td>-</td><td>-</td><td>-</td><td>6:30</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>はしご架梯</td><td>-</td><td>-</td><td>-</td><td>117:14</td><td>1:10</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>塔体運用</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>10:40</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>照明作業</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>42:25</td><td>-</td></tr> <tr><td>無線開局</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>救援作業</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>その他</td><td>-</td><td>10:00</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>附属装置の未使用</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>出場回数</td><td>20,411</td><td>1,465</td><td>36</td><td>2,886</td><td>59</td><td>9</td><td>-</td><td>2,631</td><td>1</td></tr> <tr><td>走行距離(km)</td><td>129,617</td><td>10,262</td><td>829</td><td>18,310</td><td>329</td><td>285</td><td>-</td><td>24,483</td><td>45</td></tr> <tr><td>火災以外の出場回数</td><td>163,705</td><td>16,292</td><td>555</td><td>496</td><td>5</td><td>17</td><td>713,242</td><td>5,088</td><td>20</td></tr> <tr><td>附属装置の使用</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>出場回数</td><td>1,400</td><td>89</td><td>18</td><td>100</td><td>2</td><td>-</td><td>-</td><td>118</td><td>1</td></tr> <tr><td>走行距離(km)</td><td>7,400</td><td>422</td><td>207</td><td>495</td><td>7</td><td>-</td><td>-</td><td>1,317</td><td>13</td></tr> <tr><td>附属装置運用時間(時間:分)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>ポンプ運用</td><td>184:19</td><td>21:59</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>はしご架梯</td><td>-</td><td>-</td><td>-</td><td>55:33</td><td>1:45</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>塔体運用</td><td>1:45</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>照明作業</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>26:05</td><td>-</td></tr> <tr><td>無線開局</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>救援作業</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> </tbody> </table>	ポンプ運用	5644:27	501:59	-	-	-	6:30	-	-	-	はしご架梯	-	-	-	117:14	1:10	-	-	-	-	塔体運用	-	-	-	-	-	10:40	-	-	-	照明作業	-	-	-	-	-	-	-	42:25	-	無線開局	-	-	-	-	-	-	-	-	-	救援作業	-	-	-	-	-	-	-	-	-	その他	-	10:00	-	-	-	-	-	-	-	附属装置の未使用										出場回数	20,411	1,465	36	2,886	59	9	-	2,631	1	走行距離(km)	129,617	10,262	829	18,310	329	285	-	24,483	45	火災以外の出場回数	163,705	16,292	555	496	5	17	713,242	5,088	20	附属装置の使用										出場回数	1,400	89	18	100	2	-	-	118	1	走行距離(km)	7,400	422	207	495	7	-	-	1,317	13	附属装置運用時間(時間:分)										ポンプ運用	184:19	21:59	-	-	-	-	-	-	-	はしご架梯	-	-	-	55:33	1:45	-	-	-	-	塔体運用	1:45	-	-	-	-	-	-	-	-	照明作業	-	-	-	-	-	-	-	26:05	-	無線開局	-	-	-	-	-	-	-	-	-	救援作業	-	-	-	-	-	-	-	-	-
ポンプ運用	5644:27	501:59	-	-	-	6:30	-	-	-																																																																																																																																																																																																									
はしご架梯	-	-	-	117:14	1:10	-	-	-	-																																																																																																																																																																																																									
塔体運用	-	-	-	-	-	10:40	-	-	-																																																																																																																																																																																																									
照明作業	-	-	-	-	-	-	-	42:25	-																																																																																																																																																																																																									
無線開局	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																									
救援作業	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																									
その他	-	10:00	-	-	-	-	-	-	-																																																																																																																																																																																																									
附属装置の未使用																																																																																																																																																																																																																		
出場回数	20,411	1,465	36	2,886	59	9	-	2,631	1																																																																																																																																																																																																									
走行距離(km)	129,617	10,262	829	18,310	329	285	-	24,483	45																																																																																																																																																																																																									
火災以外の出場回数	163,705	16,292	555	496	5	17	713,242	5,088	20																																																																																																																																																																																																									
附属装置の使用																																																																																																																																																																																																																		
出場回数	1,400	89	18	100	2	-	-	118	1																																																																																																																																																																																																									
走行距離(km)	7,400	422	207	495	7	-	-	1,317	13																																																																																																																																																																																																									
附属装置運用時間(時間:分)																																																																																																																																																																																																																		
ポンプ運用	184:19	21:59	-	-	-	-	-	-	-																																																																																																																																																																																																									
はしご架梯	-	-	-	55:33	1:45	-	-	-	-																																																																																																																																																																																																									
塔体運用	1:45	-	-	-	-	-	-	-	-																																																																																																																																																																																																									
照明作業	-	-	-	-	-	-	-	26:05	-																																																																																																																																																																																																									
無線開局	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																									
救援作業	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																									
第46表	誤	<table border="1"> <thead> <tr> <th>区 分</th> <th>ポンプ車</th> <th>化学車</th> <th>特殊災害対策車</th> <th>はしご車</th> <th>空中作業車</th> <th>屈折放水塔車</th> <th>救急車</th> <th>救助車</th> <th>ホース延長車</th> </tr> </thead> </table>	区 分	ポンプ車	化学車	特殊災害対策車	はしご車	空中作業車	屈折放水塔車	救急車	救助車	ホース延長車																																																																																																																																																																																																						
		区 分	ポンプ車	化学車	特殊災害対策車	はしご車	空中作業車	屈折放水塔車	救急車	救助車	ホース延長車																																																																																																																																																																																																							
<table border="1"> <tbody> <tr><td>ポンプ運用</td><td>5644:27</td><td>501:59</td><td>-</td><td>-</td><td>-</td><td>6:30</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>はしご架梯</td><td>-</td><td>-</td><td>-</td><td>117:14</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>塔体運用</td><td>-</td><td>-</td><td>-</td><td>-</td><td>1:10</td><td>10:40</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>照明作業</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>42:25</td><td>-</td></tr> <tr><td>無線開局</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>救援作業</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>2:20</td><td>-</td></tr> <tr><td>その他</td><td>-</td><td>10:00</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>附属装置の未使用</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>出場回数</td><td>20,411</td><td>1,465</td><td>36</td><td>2,886</td><td>59</td><td>9</td><td>-</td><td>2,631</td><td>1</td></tr> <tr><td>走行距離(km)</td><td>129,617</td><td>10,262</td><td>829</td><td>18,310</td><td>329</td><td>285</td><td>-</td><td>24,483</td><td>45</td></tr> <tr><td>火災以外の出場回数</td><td>163,705</td><td>16,292</td><td>555</td><td>496</td><td>5</td><td>17</td><td>713,242</td><td>5,088</td><td>20</td></tr> <tr><td>附属装置の使用</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>出場回数</td><td>1,400</td><td>89</td><td>18</td><td>100</td><td>2</td><td>-</td><td>-</td><td>118</td><td>1</td></tr> <tr><td>走行距離(km)</td><td>7,400</td><td>422</td><td>207</td><td>495</td><td>7</td><td>-</td><td>-</td><td>1,317</td><td>13</td></tr> <tr><td>附属装置運用時間(時間:分)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>ポンプ運用</td><td>184:19</td><td>21:59</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>はしご架梯</td><td>-</td><td>-</td><td>-</td><td>55:33</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>塔体運用</td><td>1:45</td><td>-</td><td>-</td><td>-</td><td>1:45</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>照明作業</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>26:05</td><td>-</td></tr> <tr><td>無線開局</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td></tr> <tr><td>救援作業</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>5:28</td><td>-</td></tr> </tbody> </table>	ポンプ運用	5644:27	501:59	-	-	-	6:30	-	-	-	はしご架梯	-	-	-	117:14	-	-	-	-	-	塔体運用	-	-	-	-	1:10	10:40	-	-	-	照明作業	-	-	-	-	-	-	-	42:25	-	無線開局	-	-	-	-	-	-	-	-	-	救援作業	-	-	-	-	-	-	-	2:20	-	その他	-	10:00	-	-	-	-	-	-	-	附属装置の未使用										出場回数	20,411	1,465	36	2,886	59	9	-	2,631	1	走行距離(km)	129,617	10,262	829	18,310	329	285	-	24,483	45	火災以外の出場回数	163,705	16,292	555	496	5	17	713,242	5,088	20	附属装置の使用										出場回数	1,400	89	18	100	2	-	-	118	1	走行距離(km)	7,400	422	207	495	7	-	-	1,317	13	附属装置運用時間(時間:分)										ポンプ運用	184:19	21:59	-	-	-	-	-	-	-	はしご架梯	-	-	-	55:33	-	-	-	-	-	塔体運用	1:45	-	-	-	1:45	-	-	-	-	照明作業	-	-	-	-	-	-	-	26:05	-	無線開局	-	-	-	-	-	-	-	-	-	救援作業	-	-	-	-	-	-	-	5:28	-
ポンプ運用	5644:27	501:59	-	-	-	6:30	-	-	-																																																																																																																																																																																																									
はしご架梯	-	-	-	117:14	-	-	-	-	-																																																																																																																																																																																																									
塔体運用	-	-	-	-	1:10	10:40	-	-	-																																																																																																																																																																																																									
照明作業	-	-	-	-	-	-	-	42:25	-																																																																																																																																																																																																									
無線開局	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																									
救援作業	-	-	-	-	-	-	-	2:20	-																																																																																																																																																																																																									
その他	-	10:00	-	-	-	-	-	-	-																																																																																																																																																																																																									
附属装置の未使用																																																																																																																																																																																																																		
出場回数	20,411	1,465	36	2,886	59	9	-	2,631	1																																																																																																																																																																																																									
走行距離(km)	129,617	10,262	829	18,310	329	285	-	24,483	45																																																																																																																																																																																																									
火災以外の出場回数	163,705	16,292	555	496	5	17	713,242	5,088	20																																																																																																																																																																																																									
附属装置の使用																																																																																																																																																																																																																		
出場回数	1,400	89	18	100	2	-	-	118	1																																																																																																																																																																																																									
走行距離(km)	7,400	422	207	495	7	-	-	1,317	13																																																																																																																																																																																																									
附属装置運用時間(時間:分)																																																																																																																																																																																																																		
ポンプ運用	184:19	21:59	-	-	-	-	-	-	-																																																																																																																																																																																																									
はしご架梯	-	-	-	55:33	-	-	-	-	-																																																																																																																																																																																																									
塔体運用	1:45	-	-	-	1:45	-	-	-	-																																																																																																																																																																																																									
照明作業	-	-	-	-	-	-	-	26:05	-																																																																																																																																																																																																									
無線開局	-	-	-	-	-	-	-	-	-																																																																																																																																																																																																									
救援作業	-	-	-	-	-	-	-	5:28	-																																																																																																																																																																																																									